
"R" Heavy-Duty Modular Cabinet







The heavy-duty cabinet, designed for intensive use, present the perfect fit to better respond to our customers needs. It is distinguished by the vast array of dimensions offered, accessories and its perfect modularity, but most of all by its durability.

The Rousseau cabinet comes in 5 different widths, each offered in different depths, for a total of 11 combinations, each available in 6 heights. Add to that the 10 drawer heights, and you have an incredible choice of possibilities. You're guaranteed to find the right size for your specific application.

Tested by an independent laboratory, the Rousseau cabinet proved to be the most durable on the market. The trials proved just how superior our drawer is. This allows us to be 100% confident in offering you a lifetime warranty on the drawer rolling mechanism.

The unique shape of the "R" drawer is a Rousseau Metal Inc. trademark and we own a design patent on the "R" drawer.

The Rousseau cabinet, in addition to being sturdy, offers a refined and unique look, which will stand the test of time. A shining example of unwavering durability.

"R" Heavy-Duty Modular Cabinet

The Rousseau Advantages



Sturdy and distinct appearance that works in all sorts of different environments.



10 drawer heights and 7 drawer side heights are available.



True North American dimensions which allow for perfect modularity.




Housings with pre-determined fixing zones for installation of accessories: work surfaces, shelves, etc.




400 lb capacity per drawer. The most heavy-duty in the industry.

General Dimensions


Available Heights



Width x Depth



Index	Page(s)
"R" Heavy-Duty Modular Cabinet	4 - 5
Proposals	6-9
Accessories	10 - 17
Components	18 -20
"L" Compact Cabinet	21
Proposals – Cabinets	22 - 23
Proposals – Drawer compartments	24 - 25
Accessories	26 - 29
Components	30 - 31









Shown here are several of the more popular heavy-duty modular cabinet models.

All proposals include a 2" front-access forklift base and a lock on the cabinet housing (for models with more than one drawer) or on the door.

Doors are factory installed with hinges on the right side. They may be installed on the left







See number of compartments and proposed layouts on the following page.

NOTE

For drawers without partitioning. complete the even number following the last two digits of the model.

Ex.: R5ACD-2801 with R5ACD-2802 without



24" Wide



4 drawers	
R5ACD-2801	24" x 21" x 30"
B5ACG_2801	2/I" v 27" v 30"



4 drawers	
R5ACD-2813	24" x 21" x 30"
R5ACG-2813	24" x 27" x 30"



4 drawers R5ACD-2805 24" x 21" x 30" R5ACG-2805 24" x 27" x 30"



6 drawers R5ACD-3001 24" x 21" x 32" R5ACG-3001 24" x 27" x 32"



4 drawers R5ACD-3005 24" x 21" x 32" R5ACG-3005 24" x 27" x 32"



1 door/1 adjustable shelf/ 1 bottom shelf R5ACD-3009 24" x 21" x 32" R5ACG-3009 24" x 27" x 32"



3 drawers	
R5ACD-3405	24" x 21" x 36"
R5ACG-3405	24" x 27" x 36"



5 drawers 24" x 21" x 36" R5ACD-3403 R5ACG-3403 24" x 27" x 36"



9 drawers R5ACD-3805 24" x 21" x 40" R5ACG-3805 24" x 27" x 40"



5 drawers R5ACD-3807 24" x 21" x 40" 24" x 27" x 40" R5ACG-3807



30" Wide



5 drawers R5ADD-2801 30" x 21" x 30" 30" x 27" x 30" R5ADG-2801



4 drawers	
R5ADD-2803	30" x 21" x 30"
R5ADG-2803	30" x 27" x 30"



5 drawers	
R5ADD-2805	30" x 21" x 30
R5ADG-2805	30" x 27" x 30



5 drawers R5ADD-3003 30" x 21" x 32" R5ADG-3003 30" x 27" x 32"



6 drawers R5ADD-3007 30" x 21" x 32" R5ADG-3007 30" x 27" x 32"

NEW PROPOSAL



1 drawer/1 door/

1 bottom shelf 30" x 21" x 32" R5ADD-3009 30" x 27" x 32"



5 drawers 30" x 21" x 40" R5ADD-3815 R5ADG-3815 30" x 27" x 40"



7 drawers 30" x 21" x 40" R5ADD-3803 R5ADG-3803 30" x 27" x 40"



8 drawers R5ADD-4401 30" x 21" x 46" R5ADG-4401 30" x 27" x 46"




5 drawers R5ADD-4411 30" x 21" x 46" R5ADG-4411 30" x 27" x 46"

Number of Compartme	nts (layout cod	e)								
Drawer dimensions	24" x 21"	24" x 27"	30" x 21"	30" x 27"	36" x 18"	36" x 24"	48" x 24"	48" x 27"	60" x 24"	60" x 27"
3" to 5"	12 (0308)	20 (0316)	24 (0518)	25 (0420)	24 (0518)	30 (0524)	40 (0732)	32 (0724)	70 (1356)	84 (1370)
6" to 8"	9 (0206)	12 (0209)	12 (0308)	12 (0308)	8 (0304)	12 (0308)	15 (0410)	15 (0410)	24 (0716)	21 (0614)
9" and higher	4 (0102)	6 (0104)	6 (0203)	9 (0206)	6 (0203)	9 (0206)	8 (0304)	8 (0304)	12 (0308)	12 (0308)

NOTE For inside drawer dimensions.

SEE PAGES 140-141







9 drawers R5ADD-5809 30" x 21" x 60" R5ADG-5809 30" x 27" x 60"



6 drawers R5ADD-5843 30" x 21" x 60" R5ADG-5843 30" x 27" x 60"



9 drawers R5ADD-5813 30" x 21" x 60" R5ADG-5813 30" x 27" x 60"



1 door/ 1 bottom shelf / 5 drawers R5ADD-5845 30" x 21" x 60" R5ADG-5845 30" x 27" x 60"

36" Wide



4 drawers R5AEC-2801 36" x 18" x 30" R5AEE-2801 36" x 24" x 30"



4 drawers	
R5AEC-2803	36" x 18" x 30
R5AEE-2803	36" x 24" x 30"



5 drawers R5AEC-3005 36" x 18" x 32" R5AEE-3005 36" x 24" x 32"



2 drawers	
R5AEC-3021	36" x 18" x 32"
R5AEE-3021	36" x 24" x 32"



5 drawers R5AEC-3805 36" x 18" x 40" R5AEE-3805 36" x 24" x 40"



5 drawers	
R5AEC-3807	36" x 18" x 40"
R5AFF-3807	36" x 24" x 40"



7 drawers R5AEC-4403 36" x 18" x 46" R5AEE-4403 36" x 24" x 46"



11 drawers R5AEC-4405 36" x 18" x 46" R5AEE-4405 36" x 24" x 46"



Double door / 1 adjustable shelf /

1 bottom shelf

R5AEC-4412 36" x 18" x 46"

R5AEE-4412 36" x 24" x 46"



8 drawers	
R5AEC-4415	36" x 18" x 46"
R5AEE-4415	36" x 24" x 46"











11 drawers	
R5AEC-5803	36" x 18" x 60"
R5AEE-5803	36" x 24" x 60"

9 drawers R5AEC-5813 36" x 18" x 60" R5AEE-5813 36" x 24" x 60"

6 drawers R5AEC-5859 36" x 18" x 60" R5AEE-5859 36" x 24" x 60"

8 drawers R5AEC-5825 36" x 18" x 60" R5AEE-5825 36" x 24" x 60"

7 drawers R5AEC-5861 36" x 18" x 60" R5AEE-5861 36" x 24" x 60"



48" Wide









5 drawers

R5AHE-3003 48" x 24" x 32" 48" x 27" x 32" R5AHG-3003

7 drawers	
R5AHE-3801	48" x 24" x 40"
R5AHG-3801	48" x 27" x 40"

1 sliding door/1 adjustable shelf/ 1 bottom shelf R5AHE-3803 48" x 24" x 40" R5AHG-3803 48" x 27" x 40"

5 drawers 48" x 24" x 40" R5AHE-3807 R5AHG-3807 48" x 27" x 40"









9 drawers

R5AHE-4405 48" x 24" x 46" 48" x 27" x 46" R5AHG-4405

7 drawers	
R5AHE-4407	48" x 24" x 46"
R5AHG-4407	48" x 27" x 46"

Double door/ 1 adjustable shelf /1 bottom shelf R5AHE-4414 48" x 24" x 46" 48" x 27" x 46" R5AHG-4414

5 drawers R5AHE-4427 48" x 24" x 46" R5AHG-4427 48" x 27" x 46"











1	5	d	ra	٩V	۷	eı	rS

R5AHE-5805 48" x 24" x 60" R5AHG-5805 48" x 27" x 60"

6 drawers

R5AHE-5807 48" x 24" x 60" R5AHG-5807 48" x 27" x 60"



8 drawers R5AHE-5809 48" x 24" x 60" R5AHG-5809 48" x 27" x 60"



9 drawers

48" x 24" x 60" R5AHE-5813 R5AHG-5813 48" x 27" x 60"

60" Wide



5 drawers R5AKE-3805 60" x 24" x 40" R5AKG-3805 60" x 27" x 40"



1 sliding door/2 adjustable shelves/1 bottom shelf R5AKE-4406 60" x 24" x 46" R5AKG-4406 60" x 27" x 46"



7 drawers R5AKE-3807 60" x 24" x 40" R5AKG-3807 60" x 27" x 40"



 $\begin{array}{ll} \frac{5 \text{ drawers/1 roll-out shelf}}{\text{R5AKE-5801}} & 60^{\circ} \times 24^{\circ} \times 60^{\circ} \\ \text{R5AKG-5801} & 60^{\circ} \times 27^{\circ} \times 60^{\circ} \end{array}$



6 drawers R5AKE-4401 60" x 24" x 46" R5AKG-4401 60" x 27" x 46"



9 drawers	
R5AKE-5803	60" x 24" x 60'
R5AKG-5803	60" x 27" x 60'





Security Accessories and Recommendations

Vertical Security Bar

RB10 Security Panel

RF91

L3

LP



Locks all of the cabinet drawers with one padlock; Safety hasp is located at the top of the bar to facilitate access;


Available to cover overall drawer heights from 24" to 54":

Complete access to drawers is possible, even when installed against a wall;

Possible to install more than one bar on the same cabinet (for different users);

Installs on the right side

Product #	Height	
RB10-24LPA	24"	
RB10-26LPA	26"	
RB10-30LPA	30"	
RB10-34LPA	34"	
RB10-40LPA	40"	
RB10-54LPA	54"	



Blocks access between two drawers with locks; Usable space in cabinet reduced by 1";

Installed between two drawers;

Allows for the cabinet to be divided up for more than one user;

Order by specifying the width and dept. Ex.: RF91-36 24 for a 36" W x 24" D security panel.

Product # RF91-

Cabinet Lock





Allows user to lock all drawers and roll-out shelves in the cabinet at same time;

Possible to change drawer and roll-out shelf positions;

Easy to retrofit;

Order by adding L3 to the cabinet housing number. Ex. : RA30-302758L3;

For replacement parts or to retrofit this mechanism, order RB00-XXXXL3.



RC30

Product

L3

True One-Drawer-at-a-Time System


Prevents opening several drawers simultaneously. This ensures cabinet stability and protects the users;

To retrofit this mechanism, order RB15-XX-XX; for factory installation, add A to the cabinet housing number; SEE PAGE

One kit per cabinet

Cabinet Height	
28"	
30"	
34"	
38"	
44"	
58"	
	28" 30" 34" 38" 44"





Alternative to the RB10 vertical security bar; Easy to retrofit;

Order by adding LP to the cabinet housing number. Ex.: RA30-302758LP;

For replacement parts or to retrofit this mechanism, order RB00-XXXXLP.

Product #



Slope Top

Cabinet Tops

The 30° inclined surface opens to store documents or other items;

Adapted to install a lamp with a 1/2" diameter pivot rod;

Can receive SH52 divider every 2" c/c (except for 18" D)

Capacity: 100 lb (evenly distributed);

For compatibility with doors with frame, choose top that is 3" deeper than your cabinet. Ex.: 27" D cabinet + door with 3" frame = 30" D slope top;

RB15

Standard lock included.




Product #	WxDxH	Compatible Divider	
RC30-242708L3	24" x 27" x 8"	SH52-1506	
RC30-302708L3	30" x 27" x 8"	SH52-1506	
RC30-303008L3	30" x 30" x 8"	SH52-1806	
RC30-362408L3	36" x 24" x 8"	SH52-1206	
RC30-362708L3	36" x 27" x 8"	SH52-1506	
RC30-363008L3	36" x 30" x 8"	SH52-1806	
RC30-482408L3	48" x 24" x 8"	SH52-1206	
RC30-482708L3	48" x 27" x 8"	SH52-1506	
RC30-483008L3	48" x 30" x 8"	SH52-1806	

Partial Divider







Pictograms to facilitate installation

Innovative patented divider, facilitates easy position changes;

Height: 5 1/2";

Easy installation, without tools.

Product #	Divider Depth	
SH52-1206	7 1/8"	
SH52-1506	10 1/8"	
SH52-1806	13 1/8"	





Steel Top with Rubber Mat

RC32 Laminated Wood Top

WS14



Non-slip rubber surface;

Sides and back formed with a double fold: 1" high.



Made from strips of laminated hardwood;

Front 90° rounded edge for added comfort;

Thickness 1 3/4";

Good impact resistance;

Attractive appearance.

Stainless Steel Top



RC35 Steel Top



RC35



16 GA stainless steel: RC35-XXXX;

12 GA stainless steel: RC35-XXXX-12;

Serves as a work surface and protects the cabinet against impacts;

Particle board top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance;

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look;

Thickness 1 3/4";

To order a top in 12 GA, complete the product number with 12.



Marine edge 16 GA stainless steel: RC35-XXXX-16M; Marine edge 12 GA stainless steel: RC35-XXXX-12M;

Prevents small objects or liquids from falling or spilling from the worksurface;

Serves as a work surface and protects cabinet against impacts;

Composite wood top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance:

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look;

Thickness: 1 3/4".

Order by specified the steel gauge. Ex.: RC35-XXXX-16M for a marine edge 16 GA stainless steel top.

Painted Steel Top





Serves as a work surface and protects cabinet against impacts;

Composite wood top with painted steel covers;

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look;

Thickness 1 3/4";

Galvanized Steel Top

RC36



Serves as a work surface and protects the cabinet against impacts;

Particle board top with galvanized cover;

The top respects the CARB regulations on formal-dehyde emissions;

Thickness 1 ¾".

Dime	nsions			Type (of Top		
W	D	Steel Top with Rubber Mat	Laminated Wood Top	Stainless Steel Top	Marine Edge Stainless Steel Top	Galvanized Steel Top	Painted Steel Top
24"	21"	RC32-2421-01					
	27"	RC32-2427-01					
	21"	RC32-3021-01					
30"	24"	RC32-3024-01					
	27"	RC32-3027-01	WS14-3027A*	RC35-3027**	RC35-3027M*	RC36-3027	RC37-3027
	30"	RC32-3030-01	WS14-3030A*	RC35-3030**	RC35-3030M*	RC36-3030	RC37-3030
	18"	RC32-3618-01	WS14-3618A*				RC37-3618
	21"	RC32-3621-01	WS14-3621A*				RC37-3621
36"	24"	RC32-3624-01	WS14-3624A	RC35-3624**	RC35-3624M*	RC36-3624	RC37-3624
	27"	RC32-3627-01	WS14-3627A*	RC35-3627**	RC35-3627M*	RC36-3627	RC37-3627
	30"	RC32-3630-01	WS14-3630A*	RC35-3630**	RC35-3630M*	RC36-3630	RC37-3630
	24"	RC32-4824-01	WS14-4824A*	RC35-4824**	RC35-4824M*	RC36-4824	RC37-4824
48"	27"	RC32-4827-01	WS14-4827A	RC35-4827**	RC35-4827M*	RC36-4827	RC37-4827
	30"	RC32-4830-01	WS14-4830A*	RC35-4830**	RC35-4830M*	RC36-4830	RC37-4830
	24"	RC32-6024-01	WS14-6024A*	RC35-6024**	RC35-6024M*	RC36-6024	RC37-6024
60"	27"	RC32-6027-01	WS14-6027A*	RC35-6027**	RC35-6027M*	RC36-6027	RC37-6027
	30"	RC32-6030-01	WS14-6030A	RC35-6030**	RC35-6030M*	RC36-6030	RC37-6030
	24"	RC32-7224-01	WS14-7224A	RC35-7224**	RC35-7224M*	RC36-7224	RC37-7224
72"	27"	RC32-7227-01	WS14-7227A*	RC35-7227**	RC35-7227M*	RC36-7227	RC37-7227
	30"	RC32-7230-01	WS14-7230A	RC35-7230**	RC35-7230M*	RC36-7230	RC37-7230

NOTE * Please check with your customer service representative for lead time. ** 12 GA only.

For compatibility with doors with frame, choose top that is 3" deeper than your cabinet. Ex.: 27" D cabinet + door with 3" frame = 30" D top.

Pa	in	ted	steel	:	WS18;

Stainless steel: WS98;

Can be installed on back or sides according to top dimensions;

Can be installed on WS14, RC35, RC36, and RC37 tops;

Height: 5". Clears top by approx. 31/4"; To order, complete the part # with steel choice needed.

Product #	Length
WS2405	24"
WS2705	27"
WS3005	30"
WS -3605	36"

Product #	Length
WS4205	42"
WS4805	48"
WS6005	60"
WS7205	72"

Power Feed Panel / Cover Panel


RC64/RC65 RC66/RC67 Power Feed Panel Cover Panel



Painted steel: RC64;

Stainless steel: RC65;

Includes a power bar with 6 outlets (15A or 20A), a perforation for air connection and a perforation (covered with a finishing panel) for installation òf a telephone jack or computer



Can be installed on RC35 and RC37 tops;

Indicate type of finish when ordering. Ex.: RC64-3001 for painted steel.



Painted steel: RC66;

Stainless steel: RC67; Can be combined with a power feed panel on the same workstation or cabinet;

Available with or without back finishing panel; Can be installed on RC35 and RC37 tops;

Indicate type of finish when ordering. Ex.: RC<u>66</u>-3001 for painted steel.



Product #	Amp	Width	With or Without back panel
RC3001	15A	30"	without back panel
RC3002	15A	30"	with back panel
RC3003	20A	30"	without back panel
RC3004	20A	30"	with back panel
RC3601	15A	36"	without back panel
RC3602	15A	36"	with back panel
RC3603	20A	36"	without back panel
RC3604	20A	36"	with back panel
RC4801	15A	48"	without back panel
RC4802	15A	48"	with back panel
RC4803	20A	48"	without back panel
RC -4804	20Δ	48"	with back panel

RC3001	15A	30"	without back panel
RC3002	15A	30"	with back panel
RC3003	20A	30"	without back panel
RC3004	20A	30"	with back panel
RC3601	15A	36"	without back panel
RC3602	15A	36"	with back panel
RC3603	20A	36"	without back panel
RC3604	20A	36"	with back panel
RC4801	15A	48"	without back panel
RC4802	15A	48"	with back panel
RC4803	20A	48"	without back panel
RC4804	20A	48"	with back panel
RC6001	15A	60"	without back panel
RC6002	15A	60"	with back panel
RC6003	20A	60"	without back panel
RC6004	20A	60"	with back panel
RC7201	15A	72"	without back panel
RC7202	15A	72"	with back panel
RC7203	20A	72"	without back panel
RC7204	20A	72"	with back panel

Product #	Width	With or Without back panel	
RC2401	24"	without back panel	
RC2402	24"	with back panel	
RC3001	30"	without back panel	
RC3002	30"	with back panel	
RC3601	36"	without back panel	
RC3602	36"	with back panel	
RC4801	48"	without back panel	
RC4802	48"	with back panel	
RC6001	60"	without back panel	
RC6002	60"	with back panel	
RC7201	72"	without back panel	
RC7202	72"	with back panel	


If your order the 20A version, ensure that your building has 20A circuits with the special outlets required.



R5XHG-1032

RC68/RC69

Finishing Panel for Computer Support



Can be installed with a power feed panel or a cover panel;

Order by indicating the type of finish. Ex.: RC68-2401 for painted steel;

Available with or without back finishing panel;

Equiped with a perforation on the center for installation of RC57/RC58 computer supports.





Product #	Width	With or Without back panel
RC2401	24"	without back panel
RC2402	24"	with back panel

Computer Supports

Laptop Support

RC58-01

LCD Monitor Support

RC57-01



Can be used for a laptop computer or an electronic devise etc;

Usable tray surface 14" W X 12" D;

Installs on the work surface, with the RC68/ RC69 finishing panel for computer support;

Compatible with the following work surfaces: WS14, RC35, RC36 and RC37;

The work surface shall extend beyond the rear

Does not install directly on the cabinet;

Stainless steel upright, 17" H;

Arm, adapter and tray in painted steel. Color: black; The tray for laptop is adjustable at 13" height to accommodate different users;

The tray is equipped with non-slip strips (Velcro®) to ensure the laptop doesn't slide.

Product #

RC58-01



Can be used to support most LCD monitors available on the market

Installs on the work surface, with the RC68/ RC69 finishing panel for computer support;

Compatible with the following work surfaces: WS14 RC35, RC36 and RC37;

The work surface shall extend beyond the rear

Does not install directly on the cabinet;

Stainless steel upright, 17" H;

Arm and adapter in painted steel. Color: black;

The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;

Positioning of monitor anchors according to VESA 75 and 100 standards.

Product #

RC57-01

LCD Monitor, Keyboard and Mouse Support

RC58-02

Double LCD Monitor Support

RC57-03



Installs on the work surface, with the RC68/

RC69 finishing panel for computer support; Compatible with the following work surfaces: WS14, RC35, RC36 and RC37;

The work surface shall extend beyond the rear

Does not install directly on the cabinet; Stainless steel upright, 17" H;

Arm, adaptor and tray in painted steel. Color: black; The keyboard and mouse tray is adjustable at

13" height to accommodate different users; Usable surface of the keyboard and mouse tray: 23 %" W x 8 ½" D:

The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;

Can support most LCD monitors available on the market;

Positioning of monitor anchors according to VESA 75 and 100 standards.

Product #

RC58-02



Can be used to support two LCD monitors;

Installs on the work surface, with the RC68/ RC69 finishing panel for computer support; Compatible with the following work surfaces: WS14, RC35, RC36 and RC37;

The work surface shall extend beyond the rear by 1 1/2";

Does not install directly on the cabinet;

Stainless steel upright, 17" H;

Arm and adapter in painted steel. Color: black;

The LCD monitor support is adjustable at 13" height to accommodate different monitor dimensions and different users;

Positioning of monitor anchors according to VESA 75 and 100 standards.

Product #

RC57-03

ESD Protection

ESD Cabinet

RC50



Allows for the safe storage of electronic components; Special paint dissipates electric charges;

Grounding cord and ground wrist strap socket are included. Cord resistance is 1 M Ω ;

To order a cabinet equipped with protection against electrostatic discharges;

Dissipative paint is Black 090.



RC50-01





Grounding Wrist Strap

Made of stretch material:

Comes with a 6" cord with 1M Ω resistance;

Dissipates electric charges that may damage electronic components

Product #

70000320

CONDUCTIVE PLASTIC BINS



DISSIPATIVE TOP











Stacking Cabinets / Sink Cabinets

Stacking Cabinets



1 shelf, adjustable every 1" c/c;						
1 bottom shelf;						
Standard lock included on doors;						
Choice of doors. Complete the product # by referring to chart below;						
Heights available : 24" and 30";						

Includes hardware kit for stacking;
To order, complete part # with height wanted and by referring to chart below for door types. Ex.: R5HEE-24 03 for a 36" W x 24" D x 24" H
cabinet with double integrated doors.

Product #	WxD
R5HDG	30" x 27"
R5HEC	36" x 18"
R5HEE	36" x 24"
R5HEG	36" x 27"
R5HHE	48" x 24"
R5HHG	48" x 27"
R5HKE	60" x 24"
R5HKG	60" x 27"



C	h	0	i	C	е	of	D	0	or	S	

Ca	bine [.]	<u>t V</u>	<u>Vid</u>	<u>ths</u>	
					_


		30"	36"	48"	60"
00	Without door	Χ	Χ	Χ	Χ
01	Single integrated door	Χ	Х		
02	Single integrated polycarbonate door	Χ	Х		
03	Double integrated doors	Χ	Χ	Χ	Χ
04	Double integrated polycarbonate doors	Χ	Х	Χ	Χ
05	Double doors with frame	Χ	Х	Χ	Χ
06	Double polycarbonate doors with frame	Χ	Χ	Χ	Χ
07	Integrated sliding doors			Χ	Χ
08	Integrated sliding polycarbonate doors			Χ	Χ
09	Sliding doors with frame			Χ	Χ
10	Sliding polycarbonate doors with frame			Χ	Χ











Pictograms to facilitate installation.

Sink Cabinet

Innovative	patented	divider,	facilitates	easy	position	changes;	
Height : 5 !	/ ₂ ":						

Easy installation, without tools.

Product #	Divider Depth	For Shelves	
SH52-1506	10 1/8"	18" D	
SH52-1806	13 1/4"	21" D	
SH52-2106	16 1/8"	24" D	
SH52-2406	19 1/8"	27" D	



R5XHE-1002



R5XTG-3002

Sink is not provided by Rousseau

Product #

The ton	has an	onening	tn	allow	for	installation	οf	а	sink
THE LUP	mas an	opening	ιυ	anow	101	motanation	UI	а	SIIIK

Has an opening on the back of the housing to allow for installation of a drain and pipes;

1 bottom shelf;

Models that have a door with frame are compatible with drawers and roll-out shelves:

and word and ron out showes,				
Standard lock included;	SEE			
Compatible with bases;	PAGE 18			
Heights available : 28", 30" and 34";				

To order, complete the part # with height wanted and by referring to chart below for door types.

Ex.: R5TDD-28 01.

NOTE	Work surfaces must be ordered separately (cut-outs are not provided by Rousseau). Sink not included.

R5TDD	*	30" x 21"		
R5TDG	*	30" x 27"		
R5THD	_	48" x 21"		
R5THG	_	48" x 27"		

WxD


*Models are not compatible with sliding doors.

01	Single integrated door
02	Double integrated doors
03	Double doors with frame
04	Integrated sliding doors
05	Sliding doors with frame

Stacking Cabinets

Stacking Cabinet Housing

RA30



Stacking cabinet housings are designed specifically for stacking on RA30 standard housing units;

Drawers, roll-out shelves, adjustable shelves and bottom shelves can all be installed in these

Compatible with both integrated doors and doors with frame;

Housing heights available: 24", 30" and 34"; Includes hardware kit for stacking;

To order, complete the part # with height wanted. Ex.: RA30-242130.

RA30-2421	24" x 21"
RA30-2427	24" x 27"
RA30-3021	30" x 21"
RA30-3027	30" x 27"
RA30-3618	36" x 18"
RA30-3624	36" x 24"
RA30-3627	36" x 27"

WxD

Product #


Product #	WxD
RA30-4824	48" x 24"
RA30-4827	48" x 27"
RA30-6024	60" x 24"
RA30-6027	60" x 27"

Bottom shelf must be NOTE ordered separately.

Adiustable Shelf

Bottom Shelf RB22/RB24

RB23/RB25



For storing bulky items;


Has edge along the sides and back to prevent items from falling into the bottom of the cabinet;

Adjustable at every 1" c/c;

Up to 400 lb capacity of evenly distributed load; SH52 dividers can be installed

Product #	WxD	Capacity*
RB22-2421	24" x 21"	200
RB22-2427	24" x 27"	200
RB24-3021	30" x 21"	400
RB24-3027	30" x 27"	400
RB24-3618	36" x 18"	400
RB24-3624	36" x 24"	400
RB24-3627	36" x 27"	400
RB24-4821	48" x 21"	400
RB24-4824	48" x 24"	400
RB24-4827	48" x 27"	400
RB24-6024	60" x 24"	400
RB24-6027	60" x 27"	400

*in pounds



For compatibility with double integrated doors or NOTE integrated sliding doors, order an adjustable shelf.

Perforations on top at every 3" c/c for the insertion of NOTE partial dividers SH52;

For storing bulky items;

Has edge along the sides and back to prevent items from falling into the bottom of the cabinet; Up to 400 lb capacity of evenly distributed load;

SH52 dividers can be installed.

Product #	WxD	Capacity*	
RB23-2421	24" x 21"	200	
RB23-2427	24" x 27"	200	
RB25-3021	30" x 21"	400	
RB25-3027	30" x 27"	400	
RB25-3618	36" x 18"	400	
RB25-3624	36" x 24"	400	
RB25-3627	36" x 27"	400	
RB25-4821	48" x 21"	400	
RB25-4824	48" x 24"	400	
RB25-4827	48" x 27"	400	
RB25-6024	60" x 24"	400	
RB25-6027	60" x 27"	400	_

* in pounds

Waste & Recycling Cabinets or Drawer

Waste and Recycling Cabinet



Cabinet can be used as a single unit, integrated in cabinet combinations (ex.: counter cabinets) or integrated underneath the work surface:

Allows sorting objects for recycling;

Equipped with one 26" H drawer with identification on the drawer handle to facilitate sorting;

Equipped with two 15 1/4" W x 11" D x 20" H containers, the black one for waste (RK09-02) and the blue one for recycling

The drawer has one divider to stabilize the containers and also allows storing objects behind.

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	
R5XCG-1100	24" x 27" x 30"	
R5XDG-1100	30" x 27" x 30"	

Waste & Recycling Drawer



Allows sorting objets for recycling;

Identification on the drawer handle to facilitate sorting;

Drawer heights available: 17" and 26";

allows storing objects behind;

The 17" H drawer has two containers of 14 %" W x 10 $\frac{1}{4}$ " D x 15" H, the black one for waste and the blue one for recycling; The 26" H drawer has two containers of 15 $\frac{1}{2}$ " W x 11" D x

20" H, the black one for waste and the blue one for recycling: The drawer has one divider to stabilize the containers and also To add a locking or security mechanism, complete

with product # needed.

Ex. : R51CG-X1701A to add an integrated lock-in mechanism.

Product #	WxDxH	
R51CG-X1701_	24" x 27" x 17"	
R51CG-X2601_	24" x 27" x 26"	
R51DG-X1701_	30" x 27" x 17"	
R51DG-X2601_	30" x 27" x 26"	_

Doors

Single Integrated Door, Solid or Polycarbonate RB32/RB31

KA, KD or MK

IMPROVED

 RB_{-}

_-3030L3

Integrated door: RB32;

Polycarbonate integrated door: RB31;

Single door for 24", 30" and 36" wide cabinets; Compatible with RB23/RB25 bottom shelf and RB22/RB24 adjustable shelf;

Opens 180° for full access to items stored inside; Factory installed on RA30 cabinet housings;

Standard lock included;

To receive a safety hasp instead of a standard lock, replace L3 by LP in the product #;


Some door heights may be combined with drawers mounted above or below. In the latter case, you must order a RB22/RB24 adjustable shelf for installation above the section of drawers;

Order by specifying the choice of door. Ex.: RB $\underline{31}$ -3034L3 for a 30" W x 34" H single integrated polycarbonate door;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf;


Note: Integrated door (RB32) has a finished back for increased rigidity and aesthetics;

Note: Polycarbonate door (RB31) is impact resistant.




30" x 30"

Product #	WxH
RB3034L3	30" x 34"
RB3040L3	30" x 40"
RB3054L3	30" x 54"
RB3620L3	36" x 20"
RB3624L3	36" x 24"
RB3626L3	36" x 26"
RB3630L3	36" x 30"
RB3634L3	36" x 34"
RB3640L3	36" x 40"
RB3654L3	36" x 54"







cabinets Compatible with RB24 adjustable shelf;

Open 180° for full access to items stored inside; Factory installed on RA30 cabinet housings:

Standard lock included;

To receive a safety hasp instead of a standard lock, replace L3 by LP in the product #;

Some door heights may be combined with drawers mounted above or below. In the latter case, you must order a RB24 adjustable shelf for installation above the section of drawers or a crossbar (RB70) for drawers mounted above;

Order by specifying the choice of door. Ex.: RB<u>36</u>-4820L3 for 48" W x 20" H double integrated Polycarbonate doors;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf;

Note: Not compatible with RB25 bottom shelf;

Note: Integrated door (RB37) has a finished back for increased rigidity and aesthetics;

Note: Polycarbonate doors (RB36) are impact


Product #	<u> </u>	WxH
RB302	20L3	30" x 20"
RB302	24L3	30" x 24"
RB302	26L3	30" x 26"
RB303	30L3	30" x 30"
RB303	34L3	30" x 34"
RB304	40L3	30" x 40"
RB30	54L3	30" x 54"
RB362	20L3	36" x 20"
RB362	24L3	36" x 24"
RB362	26L3	36" x 26"
RB363	30L3	36" x 30"
RB363	34L3	36" x 34"
RB364	40L3	36" x 40"
RB36	54L3	36" x 54"

Product #	WxH
RB4820L3	48" x 20"
RB4824L3	48" x 24"
RB4826L3	48" x 26"
RB4830L3	48" x 30"
RB4834L3	48" x 34"
RB4840L3	48" x 40"
RB4854L3	48" x 54"
RB6020L3	60" x 20"
RB6024L3	60" x 24"
RB6026L3	60" x 26"
RB6030L3	60" x 30"
RB6034L3	60" x 34"
RB6040L3	60" x 40"
RB6054L3	60" x 54"



Crossbar for Double Integrated Doors

RB70




Required for double integrated doors with drawer above

Product #	Width	
RB70-30	30"	
RB70-36	36"	
RB70-48	48"	
RB70-60	60"	

Double Doors with Frame. Solid or Polycarbonate

Integrated Sliding Doors, Solid or Polycarbonate RB45/RB46

RB50/RB51



Doors with frame: RB45:

Polycarbonate doors with frame: RB46;

Double doors for 30", 36", 48" and 60" wide cabinets;

Can be installed on cabinets with drawers or roll-out shelves;

Open 180° for full access to items stored inside;

Factory installed on RA30 cabinet housings: Standard lock included;

To receive a safety hasp instead of a standard lock, replace L3 by LP in the product #;

Frame thickness: 3";

Order by specifying the choice of door. Ex. : RB<u>46</u>-4824L3 for 48" W x 24" H double polycarbonate doors with frame;

Note: Polycarbonate doors (RB46) are impact resistant.



Product #	W x H
RB3024L3	30" x 24"
RB3028L3	30" x 28"
RB3030L3	30" x 30"
RB3034L3	30" x 34"
RB3038L3	30" x 38"
RB3044L3	30" x 44"
RB3058L3	30" x 58"
RB3624L3	36" x 24"
RB3628L3	36" x 28"
RB3630L3	36" x 30"
RB3634L3	36" x 34"
RB3638L3	36" x 38"
RB3644L3	36" x 44"
RB3658L3	36" x 58"

Proc	luct #	WxH
RB_	4824L3	48" x 24"
RB_	4828L3	48" x 28"
RB_	4830L3	48" x 30"
RB_	4834L3	48" x 34"
RB_	4838L3	48" x 38"
RB_	4844L3	48" x 44"
RB_	4858L3	48" x 58"
RB_	6024L3	60" x 24"
RB_	6028L3	60" x 28"
RB_	6030L3	60" x 30"
RB_	6034L3	60" x 34"
RB_	6038L3	60" x 38"
RB_	6044L3	60" x 44"
RB_	6058L3	60" x 58"
IND_	0030L3	00 A 30



R5XKG-1001

Sliding doors: RB50;

Sliding polycarbonate doors : RB51;

Doors for single cabinets 48" and 60" wide:

Compatible with RB24 adjustable shelf;

Maximum opening for access to items stored

Factory installed on RA30 housings;


Standard lock included;

Order by specifying the choice of door. Ex.: RB $\underline{51}$ -6020L3 for 60" W x 20" H integrated sliding polycarbonate doors;

Note: Not compatible with RF31 drawer or RF40/RF44 roll-out shelf;

Note: Not compatible with RB25 bottom shelf;

Note: Polycarbonate doors (RB51) are impact resistant.




KA, KD or MK

SEE

Product #	WxH
RB6020L3	60" x 20"
RB6024L3	60" x 24"
RB6026L3	60" x 26"
RB6030L3	60" x 30"
RB6034L3	60" x 34"
RB6040L3	60" x 40"
RB6054L3	60" x 54"

Sliding Doors with Frame, Solid or Polycarbonate

RB55/RB56





iding	doors	with 1	rame	: KB5	o5;
idina	nalvoor	honot	o door	. with	froi

Sliding polycarbonate doors with frame: RB56; Sliding doors for double cabinets (2 \times 24" or 2 \times 30");

Compatible with double cabinets (2 x 24" or 2 x 30") with drawers or roll-out shelves;

Maximum opening for access to items stored inside;

Factory installed on RA30 cabinet housings;

Standard lock included;

Frame thickness: 3";

Order by specifying the choice of door. Ex.: RB $\underline{56}$ -6024L3 for 60" W x 24" H sliding polycarbonate door with frame;

Note: Not compatible with 48" and 60" wide single cabinets;

Note: Polycarbonate doors (RB56) are impact resistant.

Product #	WxH
RB4824L3	48" x 24"
RB4828L3	48" x 28"
RB4830L3	48" x 30"
RB4834L3	48" x 34"
RB4838L3	48" x 38"
RB4844L3	48" x 44"
RB4858L3	48" x 58"

Product #	W x H
RB6024L3	60" x 24"
RB6028L3	60" x 28"
RB6030L3	60" x 30"
RB6034L3	60" x 34"
RB6038L3	60" x 38"
RB6044L3	60" x 44"
RB -6058L3	60" x 58"

Housings

"R" Heavy-Duty Cabinet Housing

RA30

Choose from a wide range of housing unit sizes to customize your storage or work space areas.

Modular drawers, roll-out shelves, adjustable and bottom shelves can be installed;

Compatible with integrated doors and doors with frame;

- Housing units are equipped with knock-outs:
 on the top to stack cabinets and install accessories or work surfaces
 on the sides and back to anchor cabinets side-by-side and back-to-back as well as for attaching accessories

Includes anchoring kit for concrete floor, for both cabinet housings and bases, and hardware for stacking;

Cabinet lock allows user to lock all drawers and roll-out shelves in the cabinet at the same time. Complete product number with L3;


For a safety hasp, complete the product number with LP;

To order a true one-drawer-at-a-time mechanism, complete the product number with A.





R5AEE-5803





36" Wide





Product #	Total Height	Inside Height
24" x 21"		
RA30-242124_	_ 24"	20"
RA30-242128_	_ 28"	24"
RA30-242130_	_ 30"	26"
RA30-242134_	_ 34"	30"
RA30-242138_	_ 38"	34"

24" x 27"		
RA30-242724	24"	20"
RA30-242728	28"	24"
RA30-242730	30"	26"
RA30-242734	34"	30"
RA30-242738	38"	34"

30" x 21"		
RA30-302124	24"	20"
RA30-302128	28"	24"
RA30-302130	30"	26"
RA30-302134	34"	30"
RA30-302138	38"	34"
RA30-302144	44"	40"
RA30-302158	58"	54"

30" x 27"		
RA30-302724	24"	20"
RA30-302728	28"	24"
RA30-302730	30"	26"
RA30-302734	34"	30"
RA30-302738	38"	34"
RA30-302744	44"	40"
RA30-302758	58"	54"

Product #	Total Height	Inside Height
36" x 18"		
RA30-361824_	_ 24"	20"
RA30-361828_	_ 28"	24"
RA30-361830_	_ 30"	26"
RA30-361834_	_ 34"	30"
RA30-361838_	_ 38"	34"
RA30-361844_	_ 44"	40"
RA30-361858_	_ 58"	54"

36" x 24"		
RA30-362424	24"	20"
RA30-362428	28"	24"
RA30-362430	30"	26"
RA30-362434	34"	30"
RA30-362438	38"	34"
RA30-362444	44"	40"
RA30-362458	58"	54"

36" x 27"		
RA30-362724	24"	20"
RA30-362728	28"	24"
RA30-362730	30"	26"
RA30-362734	34"	30"
RA30-362738	38"	34"
RA30-362744	44"	40"
RA30-362758	58"	54"

Product #	Total Height	Inside Height
48" x 24"		
RA30-482424_	_ 24"	20"
RA30-482428_	_ 28"	24"
RA30-482430_	_ 30"	26"
RA30-482434_	_ 34"	30"
RA30-482438_	_ 38"	34"
RA30-482444_	_ 44"	40"
RA30-482458_	_ 58"	54"

KA, KD or MK

24"	20"
28"	24"
30"	26"
34"	30"
38"	34"
44"	40"
58"	54"
	28" 30" 34" 38" 44"

Product #	Total Height	Inside Height
60" x 24"		
RA30-602424_	_ 24"	20"
RA30-602428_	_ 28"	24"
RA30-602430_	_ 30"	26"
RA30-602434_	_ 34"	30"
RA30-602438_	_ 38"	34"
RA30-602444_	_ 44"	40"
RA30-602458_	_ 58"	54"

24"	20"
28"	24"
30"	26"
34"	30"
38"	34"
44"	40"
58"	54"
	28" 30" 34" 38" 44"



Bases

Front Access Forklift Base

RA52 Front and Side Access Forklift Base



2" high base designed for moving the cabinet from the front with a forklift;

Front cover plate included;

Includes a recessed kick-plate in the center of the cabinet to allow user to stand closer to

Designed to enable user to anchor cabinet to the floor;

Compatible with RA74 leveling glides;

Compatible with the RA54 rear base cover plate, offered as an option;

Note: Not compatible with casters;

Note: Not designed for stacking applications.

Product #	WxD
RA52-242102	24" x 21"
RA52-242702	24" x 27"
RA52-302102	30" x 21"
RA52-302702	30" x 27"
RA52-361802	36" x 18"
RA52-362402	36" x 24"
RA52-362702	36" x 27"

Product #	WxD
RA52-482402	48" x 24"
RA52-482702	48" x 27"
RA52-602402	60" x 24"
RA52-602702	60" x 27"

RA74



Sold in kits of 4;

Serves to adjust the height of cabinet housings 1 %" to 2" on uneven floor surfaces.


Product

RA74-01

Recessed Base

Leveling Glide Kit





Painted steel RA55:

Stainless steel RA57;

Designed to raise the height of a cabinet by 2" or 4";

Includes a removable cover plate at the front for aesthetics;

Front cover plate is on a straight angle to facilitate cleaning floors;

2" recessed space to allow user to stand closer to cabinet;

Designed to allow user to anchor the cabinet to the floor;

Compatible with RA74 leveling glides;

Compatible with the RA56/RA58 rear base cover plate, offered as an option;


Note: Not compatible with casters;

Note: Not designed for stacking applications;

Order by indicating the type of steel finish. Ex.: RA $\underline{57}$ -302702 for a stainless steel base 30" W x 27" D x 2" H.

Prod	luct #	WxDxH
RA_	242102	24" x 21" x 2"
RA_	242104	24" x 21" x 4"
RA_	242702	24" x 27" x 2"
RA_	242704	24" x 27" x 4"
RA_	302102	30" x 21" x 2"
RA_	302104	30" x 21" x 4"
RA_	302702	30" x 27" x 2"
RA_	302704	30" x 27" x 4"
RA_	361802	36" x 18" x 2"
RA_	361804	36" x 18" x 4"
RA_	362402	36" x 24" x 2"

Product #	WxDxH
RA362404	36" x 24" x 4"
RA362702	36" x 27" x 2"
RA362704	36" x 27" x 4"
RA482402	48" x 24" x 2"
RA482404	48" x 24" x 4"
RA482702	48" x 27" x 2"
RA482704	48" x 27" x 4"
RA602402	60" x 24" x 2"
RA602404	60" x 24" x 4"
RA602702	60" x 27" x 2"
RA602704	60" x 27" x 4"



4" high base designed for moving the cabinet from the front or side with a forklift, or from the front with a pallet-jack;

Front cover plate included;

Includes a recessed kick-plate in the center of the cabinet to allow user to stand closer to cabinet;

Designed to enable user to anchor cabinet to the floor;

Compatible with RA74 leveling glides;

Compatible with the RA54 rear base cover plate, offered as an option;

Note: Not compatible with casters;


Note: Not designed for stacking applications.

Product #	WxD
RA53-242104	24" x 21"
RA53-242704	24" x 27"
RA53-302104	30" x 21"
RA53-302704	30" x 27"
RA53-361804	36" x 18"
RA53-362404	36" x 24"
RA53-362704	36" x 27"

Product #	WxD	
RA53-482404	48" x 24"	
RA53-482704	48" x 27"	
RA53-602404	60" x 24"	
RA53-602704	60" x 27"	

Angled Cover Plate

RA54




Closes off the back of 2" and 4" forklift bases (RA52 and RA53).

Product #	WxH	
RA54-2402	24" x 2"	
RA54-2404	24" x 4"	
RA54-3002	30" x 2"	
RA54-3004	30" x 4"	
RA54-3602	36" x 2"	
RA54-3604	36" x 4"	
RA54-4802	48" x 2"	
RA54-4804	48" x 4"	
RA54-6002	60" x 2"	
RA54-6004	60" x 4"	

Straight Cover Plate

RA56/RA58



Painted steel RA56;

Stainless steel RA58;

Closes off the back of 2" and 4" recessed bases (RA55 or RA57);

Order by indicating the type of steel finish. Ex.: RA58-4804 for a straight cover plate in stainless steel 48" W x 4" H.

Product #	W x H
RA2402	24" x 2"
RA2404	24" x 4"
RA3002	30" x 2"
RA3004	30" x 4"
RA3602	36" x 2"
RA3604	36" x 4"
RA4802	48" x 2"
RA4804	48" x 4"
RA6002	60" x 2"
RA6004	60" x 4"

Components

Drawers, Roll-out Shelves and Locking or Security Mechanisms

Heavy-Duty Modular Drawer



RF31 / RF35

Heavy-Duty Front Access Roll-Out Shelf

RF40



Drawer in painted steel: RF31;

Drawer with stainless steel drawer front: RF35; 400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install;	
Vast choice of accessories offered to adapt to your storage needs;	SEE PAGES 157-161
Available drawer beighte:	107-101

Available drawer heights : 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14";

Order by adding the drawer height to the part # and by specifying the type of drawer front (painted steel or stainless steel). Ex. : RF31-362406;

For illodular dra	wers with layouts,	PAGE
Product #	W x D	143-15
RF2421	24" x 21"	
RF2427	24" x 27"	
RF3021	30" x 21"	
RF3027	30" x 27"	
RF3618	36" x 18"	
RF3624	36" x 24"	
RF3627	36" x 27"	
RF4824	48" x 24"	
RF4827	48" x 27"	
RF6024	60" x 24"	
RF6027	60" x 27"	



400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install;

Painted steel with 3" edges on sides and back;

Height: 6";

Full access to contents.

Product #	W x D
RF40-2421	24" x 21"
RF40-2427	24" x 27"
RF40-3021	30" x 21"
RF40-3027	30" x 27"
RF40-3618	36" x 18"
RF40-3624	36" x 24"
RF40-3627	36" x 27"
RF40-4824	48" x 24"
RF40-4827	48" x 27"
RF40-6024	60" x 24"
RF40-6027	60" x 27"

Integrated Lock-In Mechanism






Heavy-Duty 3-Sided Access Roll-Out Shelf

RF44

L3



Heavy-duty construction;

Easy to install;

Galvanized steel with 1 1/2" edge on back;

May serve as work surface.

W x D	
24" x 21"	
24" x 27"	
30" x 21"	
30" x 27"	
36" x 18"	
36" x 24"	
36" x 27"	
48" x 24"	
48" x 27"	
60" x 24"	
60" x 27"	
	24" x 21" 24" x 27" 30" x 21" 30" x 27" 36" x 18" 36" x 24" 36" x 27" 48" x 24" 48" x 27" 60" x 24"

Activated by tilting the handle up;

Allows user to open the drawer and the roll-out shelf with one hand only;

Close by simply pushing it;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit;

Order by adding A to the drawer or partitioning, or roll-out shelf model number.

Ex.: RF31-362406A;

For replacement parts or to retrofit this mechanism, order RY08-XXA.

Product #

Econo Lock-In Mechanism



Activated with the right hand by sliding the mechanism with thumb;

Drawer and roll-out shelf close without having to reactivate the slide mechanism;

Stops drawer and roll-out shelf from opening on their own

Easy to retrofit;

Order by adding B to the drawer or partitioning, or roll-out shelf model number. Ex.: RF31-362406B

For replacement parts or to retrofit this mechanism, order RY01-B.

Product #

Lock-Out Mechanism

RF85



Drawer Lock

Compatible with all drawer dimensions; Does not affect usable drawer space;

Easy to retrofit;

Order by adding L3 to drawer or partitioning model number. Ex.: RF31-362406L3;

For replacement parts or to retrofit this mechanism, order RY01-L3.



Product #

L3



For both drawers and roll-out shelves;

Locks drawers and roll-out shelves in open position;

Activated manually, only when required;

Compatible with all accessories drawer;

Plastic bins positioned in the back row, may make it more difficult to activate mechanism

Product #