



INDEX	PAGE(S)
Mobile Shelving and Mini-Racking	126
Preconfigured Models . . .	127-128
Components . . . . .	129

## MOBILE SHELVING AND MINI-RACKING

Mobile storage allows you to complete your tasks quickly and effectively while keeping equipment close at hand.

Our heavy-duty base has been specially designed so you can easily and safely move a load of up to 1,000lb. per unit!

By adding a mobile base to your shelving or Mini-Racking, you can:

- Clear the floor area to facilitate cleaning under shelving
- Quickly reconfigure your department
- Move parts closer to workstations

You can also add accessories, such as handles to help with moving units, or protective plastic bumpers to prevent damage from impacts.



SRE4006M



SRE4522SM



SRE4003M

**WHEN ORDERING, MODEL NUMBERS MUST BE COMPLETED AS FOLLOWS**

H for posts with a smooth surface  
R for posts with a perforated surface

BOLTED uprights     D  
WELDED uprights    E

S ↓ 4001M  
↑

e.g., SHD4001  
For a mobile shelving unit with smooth surface posts and bolted uprights.

## MOBILE SHELVING

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF MOBILE SPIDER® SHELVING UNITS

- The preconfigured models in this section include a mobile base for Spider® Shelving and four 4" casters, including two swivel casters with total-lock brakes and two rigid casters
- To calculate the actual width of the base, add 3<sup>3</sup>/<sub>16</sub>" to the nominal width
- To calculate the actual depth of the base, add 3<sup>4</sup>/<sub>4</sub>" to the nominal depth
- The preconfigured models in this section include open shelving uprights, braces and BOX shelves
- Load capacity: 1,000lb. per base
- All preconfigured models are quick and easy to assemble and can be disassembled when not in use

W	DIMENSIONS			NUMBER OF SHELVES
	D	H	ACTUAL H	6
36"	18"	63"	68 1/4"	S_4001M
	24"	63"	68 1/4"	S_4002M
		75"	80 1/4"	S_4003M
42"	18"	63"	68 1/4"	S_4004M
	24"	63"	68 1/4"	S_4005M
		75"	80 1/4"	S_4006M
48"	18"	63"	68 1/4"	S_4007M
	24"	63"	68 1/4"	S_4008M
		75"	80 1/4"	S_4009M

NOTES: For a side-to-side double shelving unit, see SH99 Mobile Base for Mini-Racking, see page 129.  
Not compatible with drawers or roll-out shelves in shelving and SH41, SH43, SH91 and SH93 doors.



SRD9002M




SRE4010M

# PRECONFIGURED MODELS – MOBILE MINI-RACKING

## MOBILE MINI-RACKING

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF MOBILE MINI-RACKING UNITS

- Can be ordered with steel decking, wire mesh decking or without decking
- The preconfigured models in this section include a mobile base for Mini-Racking and four 4" casters, including two swivel casters with total-lock brakes and two rigid casters
- Models with a 30"D base or deeper include a mobile Mini-Racking handle
- 36"W to 72"W models include medium duty-beams, whereas 96"W models include heavy-duty beams
- To calculate the actual width of the base, add 3 3/4" to the nominal width
- To calculate the actual depth of the base, add 3/4" to the nominal depth
- Load capacity: 1,000lb. per base
- All preconfigured models are quick and easy to assemble and can be disassembled when not in use



### STEEL

- To order a unit with steel decking, add S to the product number

### WIRE MESH

- To order a unit with wire mesh decking, add W to the product number
- Not compatible with 18"D units

W	DIMENSIONS			NO. OF DECKING LEVELS
	D	H	ACTUAL H	4
36"	18"	63"	68 1/4"	SR_4501_M
	24"	63"	68 1/4"	SR_4502_M
		75"	80 1/4"	SR_4503_M
42"	18"	63"	68 1/4"	SR_4504_M
	24"	63"	68 1/4"	SR_4505_M
		75"	80 1/4"	SR_4506_M
48"	18"	63"	68 1/4"	SR_4507_M
	24"	63"	68 1/4"	SR_4508_M
		75"	80 1/4"	SR_4509_M
60"	24"	63"	68 1/4"	SR_4510_M
		75"	80 1/4"	SR_4511_M
	30"	63"	68 1/4"	SR_4512_M
		75"	80 1/4"	SR_4513_M
	36"	63"	68 1/4"	SR_4514_M
		75"	80 1/4"	SR_4515_M
66"	48"	63"	68 1/4"	SR_4516_M
		75"	80 1/4"	SR_4517_M
	24"	63"	68 1/4"	SR_4518_M
		75"	80 1/4"	SR_4519_M
	30"	63"	68 1/4"	SR_4520_M
		75"	80 1/4"	SR_4521_M
36"	63"	68 1/4"	SR_4522_M	
	75"	80 1/4"	SR_4523_M	
48"	63"	68 1/4"	SR_4524_M	
	75"	80 1/4"	SR_4525_M	

### FOR WOOD DECKING

- To order a unit without decking (e.g., for use with wood decking), leave the product number as is

W	DIMENSIONS			NO. OF DECKING LEVELS
	D	H	ACTUAL H	4
72"	24"	63"	68 1/4"	SR_4526_M
		75"	80 1/4"	SR_4527_M
	30"	63"	68 1/4"	SR_4528_M
		75"	80 1/4"	SR_4529_M
	36"	63"	68 1/4"	SR_4530_M
		75"	80 1/4"	SR_4531_M
48"	63"	68 1/4"	SR_4532_M	
		80 1/4"	SR_4533_M	
	75"	68 1/4"	SR_4534_M	
		80 1/4"	SR_4535_M	
96"	24"	63"	68 1/4"	SR_4536_M
		75"	80 1/4"	SR_4537_M
	30"	63"	68 1/4"	SR_4538_M
		75"	80 1/4"	SR_4539_M
	36"	63"	68 1/4"	SR_4540_M
		75"	80 1/4"	SR_4541_M



NOTE: Handles are not included with 18"D and 24"D models.

## MOBILITY

### MOBILE BASE FOR SPIDER® SHELVING SH99



- Required for installing casters under a Rousseau Spider® Shelving unit
- Compatible with 4" and 6" casters (sold separately)
- The shelving unit must have exactly the same dimensions as the base
- For a side-to-side double shelving unit, see SH99 Mobile Base for Mini-Racking
- Compatible with 18"D and 24"D, and 36"W, 42"W and 48"W shelving
- The 18"D base is compatible with 63"H shelving and under
- The 24"D base is compatible with 75"H shelving and under
- To order: Complete the product number with the depth required: 18" or 24"

**Does not include casters, handles or bumpers. They must be ordered separately.**

PRODUCT NO.	WIDTH	ACTUAL WIDTH
SH99-36__	36"	39 <sup>3</sup> / <sub>16</sub> "
SH99-42__	42"	45 <sup>3</sup> / <sub>16</sub> "
SH99-48__	48"	51 <sup>3</sup> / <sub>16</sub> "

NOTES: With SB81 casters, total height = 5<sup>1</sup>/<sub>4</sub>"; With SB84 casters, total height = 7<sup>1</sup>/<sub>8</sub>".  
Not compatible with back-to-back shelving configurations.  
Not compatible with drawers or roll-out shelves in shelving and SH41, SH43, SH91 and SH93 doors.

### MOBILE BASE FOR MINI-RACKING SH99



- Required for installing casters under a Rousseau Mini-Racking unit
- Compatible with 4" and 6" casters (sold separately)
- Compatible with 24"D, 30"D, 36"D and 48"D; 48"W, 60"W, 66"W, 72"W and 96"W; and 63"H and 75"H Mini-Racking
- Can support a side-by-side double shelving unit or Mini-Racking unit depending on the mobile base width:
  - 48"W (not compatible)
  - 60"W (30"W unit + 30"W unit)
  - 66"W (not compatible)
  - 72"W (36"W unit + 36"W unit)
  - 96"W (48"W unit + 48"W unit)
- With double shelving or Mini-Racking units, order an extra pair of rigid casters for the middle (under the adjoining posts)
- To order: Complete the product number with the depth required: 24", 30", 36" or 48"

**Does not include casters, handles or bumpers. They must be ordered separately.**

PRODUCT NO.	WIDTH	ACTUAL WIDTH
SH99-48__	48"	51 <sup>3</sup> / <sub>16</sub> "
SH99-60__	60"	63 <sup>3</sup> / <sub>16</sub> "
SH99-66__	66"	69 <sup>3</sup> / <sub>16</sub> "
SH99-72__	72"	75 <sup>3</sup> / <sub>16</sub> "
SH99-96__	96"	99 <sup>3</sup> / <sub>16</sub> "

NOTES: With SB81 casters, total height = 5<sup>1</sup>/<sub>4</sub>"; With SB84 casters, total height = 7<sup>1</sup>/<sub>8</sub>".  
Not compatible with back-to-back shelving configurations.

### 4" CASTERS SB81



- Sold in pairs
- Three types of casters available: rigid, swivel and swivel with total-lock brake (on wheel and swivel)
- Load capacity: 440lb. per caster
- Total height: 5<sup>1</sup>/<sub>8</sub>"
- Dark gray, non-marking polyurethane tread. Superior industrial quality
- Installs under a mobile base for shelving or Mini-Racking, one caster under each post

PRODUCT NO.	CASTER TYPE
SB81-01	Rigid
SB81-02	Swivel
SB81-03	Swivel with total-lock brake

### 6" CASTERS SB84



- Sold in pairs
- Three types of casters available: rigid, swivel and swivel with total-lock brake (on wheel and swivel)
- Load capacity: 1100lb. per caster
- Total height: 7<sup>1</sup>/<sub>2</sub>"
- Dark gray, ultra-quiet polyurethane tread. Superior industrial quality
- Installs under a mobile base for shelving or Mini-Racking, one caster under each post

PRODUCT NO.	CASTER TYPE
SB84-01	Rigid
SB84-02	Swivel
SB84-03	Swivel with total-lock brake

### HANDLES FOR MOBILE SHELVING AND MINI-RACKING SH97



- Recommended for shelving or Mini-Racking units 30"D or deeper
- The handles install on the sides of the shelving or Mini-Racking units and must be installed horizontally
- To order: Complete the product number with the depth required: 18", 24", 30", 36" or 48"

PRODUCT NO.
SH97__01

### BUMPERS FOR MOBILE SHELVING AND MINI-RACKING SH98



- Sold in kits of four
- Made of high-density plastic
- Color: gray
- Installs on all four corners of the base for protection from impacts

PRODUCT NO.
SH98-01